


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6239

THE BLUE HILL NURSERIES



TRADE LIST

OF

Hardy Herbaceous Perennials

AND

ALPINE PLANTS

GROWN BY

JULIUS HEURLIN

Graduate Horticulturist

AND

Landscape Gardener

SOUTH BRAINTREE, MASS., U. S. A.

TRADE LIST, 1900.

All offers are made subject to stock being unsold—6, 50 and 500, at 12, 100 and 1000 rate respectively. A charge for packing is made, sufficient to remunerate for the cost of material and time.

Stock is free from all injurious insects or diseases.

	Per 12.	Per 100.
<i>Achillea millefolium roseum</i> ,	\$1.00	\$7.00
“ <i>Mongolica</i> ,	1.00	7.00
“ <i>tomentosa</i> ,	1.25	8.00
“ <i>ptarmica</i> . The Pearl.75	6.00
<i>Aconitum napellus</i> ,	1.50	10.00
<i>Agrostemma coronaria atropurpurea</i> , . .	1.00	7.00
“ “ <i>bicolor</i> ,	1.00	7.00
<i>Althæa rosea</i> ,	1.25	8.00
<i>Alyssum saxatile compactum</i> ,	1.25	8.00
“ <i>argenteum</i> ,	1.00	7.00
“ <i>Wiersbeckii</i> ,	1.50	10.00
<i>Amsonia salicifolia</i> ,	1.25	8.00
“ “ <i>tabernæmontana</i> ,	1.50	10.00
<i>Anchusa Italica</i> ,	1.00	7.00
“ <i>sempervirens</i> ,	1.00	7.00
<i>Anthemis tinctoria</i> ,75	6.00
“ “ <i>Kelwayii</i> ,	1.00	7.00
<i>Apios tuberosa</i> ,75	6.00
<i>Aquilegia chrysantha</i> ,	1.50	10.00
“ <i>cærulea</i> ,	1.50	10.00
“ “ <i>hybrida</i> ,	1.25	8.00
“ <i>glandulosa major</i> ,	3.00	
“ <i>vulgaris</i> ,	1.00	7.00
<i>Arabis albida</i> ,	1.00	7.00
“ <i>bellidifolia</i> ,	1.25	8.00
<i>Arenaria balærica</i> ,	1.00	7.00
<i>Armeria laucheana</i> ,	1.00	7.00
“ <i>plantaginea</i> ,	1.00	7.00
<i>Artemesia abrotanum</i> ,	1.25	8.00
“ <i>pontica</i> ,	1.25	8.00
“ <i>stellariana</i> ,	1.00	7.00

	Per 12.	Per 100.
<i>Asclepias tuberosa</i> ,	\$1.00	\$7.00
“ <i>incarnata</i> ,	1.00	7.00
<i>Asphodelus luteus</i> ,	1.50	10.00
<i>Aster alpinus</i> ,	1.00	7.00
“ <i>Chapmanii</i> ,	1.25	8.00
“ <i>longifolia formosa</i> ,	1.00	6.00
“ “ <i>formosissima</i> ,	1.00	6.00
“ “ <i>Jewel</i> ,	1.00	6.00
“ <i>Novæ-Angliæ</i> ,	1.00	7.00
“ “ <i>rosea</i> ,	1.25	8.00
“ <i>Novæ-Belgii</i> Robert Parker,	1.25	8.00
“ “ <i>Lady Trevyllen</i> ,	1.25	8.00
“ <i>lævis</i> ,75	6.00
“ <i>Mackii</i> ,	1.00	7.00
“ <i>prætens</i> (pink form),	1.25	
“ <i>Sibericus</i> ,	2.00	
“ <i>spectabilis</i> ,	1.00	7.00
“ <i>versicolor</i> ,	2.00	
<i>Astragalus glycyphillus</i> ,	1.50	10.00
<i>Baptisia Australis</i> ,	1.25	8.00
<i>Bellis perennis</i> fl. pl.,	1.00	7.00
“ “ <i>Longfellow</i> ,	1.00	7.00
<i>Bocconia cordata</i> ,	1.50	10.00
<i>Boltonia asteroides</i> ,	1.00	7.00
“ <i>latisquamæ</i> ,	1.00	6.00
<i>Callirhoë involucrata</i> ,	1.25	8.00
<i>Campanula Carpathica</i> ,	1.25	8.00
“ “ <i>alba</i> ,	1.50	10.00
“ <i>nobilis alba</i> ,	2.00	
“ <i>van Houttei</i> ,	2.00	
<i>Centaurea Babylonica</i> ,	1.50	
“ <i>nigra</i> vgta,	1.00	7.00
“ <i>montana rosea</i> ,	1.50	10.00
<i>Chelone Lyonii</i> ,	1.50	10.00
“ <i>obliqua alba</i> ,	1.25	8.00
<i>Chrysanthemum maximum</i> ,	1.25	8.00
“ <i>latifolium</i> ,	1.25	8.00
“ <i>hybridum</i> (hardy, named),	1.50	10.00
<i>Convallaria majalis</i> ,75	6.00
<i>Coreopsis lanceolatus monstrosus</i> ,	1.00	7.00
“ <i>verticillata</i> ,	1.00	7.00

	Per 12.	Per 100.
<i>Cytisus capitatus</i> ,	\$1.75	\$10.00
<i>Coronilla varia</i> ,	1.25	8.00
<i>Dactylis glomerata</i> vgta,	1.25	8.00
<i>Delphinium elatum</i> ,	1.00	7.00
“ <i>formosum</i> ,	1.25	8.00
“ <i>hybridum</i> ,	1.00	7.00
“ <i>Sinensis</i> ,	1.00	7.00
“ “ <i>album</i> ,	1.00	7.00
<i>Dianthus barbatus</i> ,75	6.00
“ <i>plumarius cyclops</i> ,	1.25	8.00
“ “ <i>semperflorens</i> ,	1.50	10.00
“ <i>superbus</i> ,	1.00	7.00
<i>Dicentra excimia multipinnata</i> ,	1.50	10.00
“ <i>spectabilis</i> ,	1.25	8.00
<i>Digitalis ambigua</i> ,	1.25	8.00
“ <i>hybridus</i> ,	1.50	10.00
“ <i>purpurea</i> ,75	6.00
<i>Dictamnus fraxinella</i> ,	1.50	
“ “ <i>alba</i> ,	1.75	
<i>Echinæcea purpurea</i> ,	1.25	8.00
<i>Echinops exaltatus</i> ,	1.50	10.00
“ <i>ruthenicus</i> ,	1.00	7.00
<i>Erigeron macranthum</i> ,	1.00	7.00
“ <i>speciosum</i> ,	1.00	7.00
“ <i>purpureum</i> ,	1.00	
<i>Eryngium amethystinum</i> ,	1.25	8.00
“ <i>giganteum</i> ,	1.00	7.00
<i>Eupatorium purpureum</i> ,75	5.00
<i>Euphorbia corollata</i> ,	1.00	7.00
<i>Funkia lanceolata</i> ,	1.00	7.00
“ <i>subcordata</i> ,	1.50	10.00
<i>Gaillardia aristata</i> grfl,	1.25	8.00
<i>Galium boreale</i> ,	1.00	7.00
<i>Geranium ibericum</i> ,	1.00	7.00
“ <i>Londessii</i> ,	2.00	
“ <i>sanguineum</i> ,	1.00	7.00
<i>Geum coccinum</i> ,	1.50	10.00
“ <i>Virginicum</i> ,	1.00	7.00
<i>Gypsophilla acutifolia</i> ,	1.00	7.00
“ <i>paniculata</i> ,	1.00	7.00
“ <i>Stevenii</i> ,	1.00	7.00

	Per 12.	Per 100.
Hedysarum coronarium,	\$1.25	\$8.00
Helenium autumnale,	1.00	6 00
Helianthus decapetalus,	1.25	8.00
“ multiflorus fl. pl.	1.25	8.00
“ mollis	1.25	8.00
“ orgyalis,	1.25	8.00
“ rigidus,	1.00	7.00
“ “ Miss Mellish,	2.00	
“ tuberosus,50	3.00
Heliopsis Pitcheriana,	1.00	7.00
Hemerocallis dumortierii,	1.25	8.00
“ Thunbergii,	1.25	8.00
“ flava,	1.25	8.00
Hesperis matronalis,	1.00	7.00
Heuchera sanguinea,	1.50	10.00
“ “ alba	1.50	10.00
Hibiscus Californicus,	2.00	12.00
“ militaris,	1.25	8.00
“ mosehatus roseus,	1.00	7 00
“ “ Crimson Eye,	1 00	7.00
Hyssopus officinalis,	1.00	7.00
Iris Germanica,	1.00	7.00
“ Bludowii,	2.50	
“ lavigatus (Japanese Iris),	1.50	10.00
“ pallida speciosa,	1.50	10.00
“ pumilla in 3 var.,	1.00	6.00
“ cristata,	1.25	8.00
“ Sibericus,	1.00	7.00
“ “ albus,	1.25	8.00
“ “ Orientalis,	1.25	8.00
Kniphofia aloides,	1.50	10.00
Lathyrus latifolius,	1.25	8.00
Liatris elegans,	1.25	8.00
“ pycnostachya,	1.25	8.00
Linaria Dalmatica,	1.25	8.00
Linum perenne,	1.00	7.00
Lobelia syphelitia,	1.00	7.00
Lupinus polyphyllus,	1.25	8.00
Lychnis Chalcedonica,	1.00	7.00
“ “ alba,	1.25	8.00
“ diurna fl. pl.,	1.75	12.00

	Per 12.	Per 100.
<i>Lychnis vespertina</i> fl. pl.	\$1.25	\$8.00
“ <i>viscaria</i> fl. pl.,	1.25	8.00
<i>Lysimachia clethroides</i> ,	1.25	8 00
“ <i>numularia</i> ,75	6.00
<i>Lythrum salicaria</i> superba,	1.00	7 00
<i>Malva alcea</i> ,	1.50	10.00
“ <i>moschata alba</i> ,	1.25	8.00
<i>Mertensia Virginica</i> ,	1.00	7.00
<i>Monarda didyma coccinea</i> ,	1 00	7.00
“ <i>fistulosa</i> ,	1.00	6.00
“ <i>rugosa</i> ,	1.00	6.00
<i>Myosotis alpestris</i> ,	1.25	8.00
“ <i>palustris semperflorens</i> ,	1.00	6.00
<i>Oenothera macrocarpa</i> ,	1 00	7.00
“ <i>fruticosa major</i> ,	1.00	7.00
“ <i>riparia</i> ,	1.00	7.00
“ <i>Youngii</i> ,	2.00	
<i>Opuntia raffenesquii</i> ,	1.50	10.00
<i>Origanum creticum</i> ,	1.25	8.00
<i>Orobis galegaformis</i> ,	2.00	
“ <i>lathyroides</i> ,	2.00	
<i>Pachysandra terminalis</i> ,	1.25	8.00
<i>Pæonias</i> —mixed,	2 50	15.00
<i>Papaver pilosum</i> ,	1.00	7.00
<i>Pardanthus Sinensis</i> ,	1.00	7.00
<i>Penstemon barbatus Torreyii</i> ,	1 25	8.00
“ <i>confertus</i> ,	1.00	7.00
“ <i>diffusus</i> ,	1.25	8.00
“ <i>lavigatus digitalis</i> ,	1.00	6.00
“ <i>ovatus</i> ,	1.00	7 00
“ <i>pubescens</i> ,	1.00	7.00
<i>Plumbago larpentæ</i> ,	1.25	8.00
<i>Phlox decussata</i> —named,	1.25	8.00
“ “ —mixed,	1.00	5 00
<i>Phlox divaricata</i>	1.00	7.00
“ <i>subulata</i>	1.00	7.00
“ “ <i>compacta</i>	1.00	7.00
“ “ <i>Model</i>	1.00	7.00
“ “ <i>The Bride</i>	1.00	7.00
“ “ <i>Nelsonii</i>	1.25	8.00
<i>Physostegia Virginica</i>	1.25	8.00

	Per 12.	Per 100.
Polemonium cœruleum	\$1.25	\$8.00
“ “ album	1.25	8.00
Platycodon grfl.	1.00	7.00
“ “ Mariesii	1.25	8.00
Potentilla formosa	1.25	8.00
Pyrethrum roseum	1.00	7.00
“ uliginosum	1.00	7.00
Rudbeckia laciniata	1.00	6 00
“ “ Golden Glow	1 00	6.00
“ speciosa	1.25	8.00
“ sub-tomentosa	1.25	8.00
“ hirta	1.00	7.00
“ fulgida	1.00	7.00
Ruellia ciliosa	1.00	7.00
Salvia pratense	1.25	8.00
Scabiosa Caucasica	1.25	8 00
Sedum spectabilis	1.00	7.00
“ “ roseum	1.50	10.00
Silphium terebinthenæceum	1.00	7.00
Sidalcea malvæflora	1.00	7.00
Solidago nemoralis	1.00	7.00
Spiraea aruncus	1.25	8.00
“ filipendula fl. pl.	1.25	8.00
“ ulmaria fl. pl.	1.25	8.00
“ palmata	1.25	8.00
Stachys lanata	1.00	7.00
Stockesia cyanea	1.50	
Termopsis mollis	1.50	10.00
Thalictrum minus	2.00	
Tradescantia Virginica	1.00	7.00
Tunica saxifragica	1.00	7.00
Trillium grfl.75	5.00
“ “ roseum	1.00	7.00
Uniola latifolia	1.25	8.00
Valeriana officinalis	1.00	7.00
Veronica amæthystina	1.25	8.00
“ cercæoides	1.25	8.00
“ gentianoides	1.00	7.00
“ incana	1.25	8.00
“ longifolia subsessilis	1.00	7.00
“ ruspestris	1.00	7.00

							Per 12.	Per 100.
Veronica	spicata	-	-	-	-	-	\$1.00	\$7.00
"	"	alba	-	-	-	-	1.50	10.00
Vinca	minor	-	-	-	-	-	.75	5.00
"	"	aurea	vgta.	-	-	-	1.00	7.00
Viola	cornuta	-	-	-	-	-	1.00	7.00
"	"	alba	-	-	-	-	1.00	7.00
Viola	cornuta	Perfection	-	-	-	-	1.00	7.00
"	lutea	grfl.	-	-	-	-	1.25	8.00
"	pedata	bicolor	-	-	-	-	1.50	10.00
Yucca	filamentosa	-	-	-	-	-	1.00	7.00

SHRUBS.

Ailanthus	glandulosa	2 to 5 feet	-	-	-	-	1.00	7.00
Ampelopsis	qu.	Englemanii—heavy	-	-	-	-	2.00	12.00
"	"	" smaller	-	-	-	-	1.00	7.00
Clematis	paniculata	—extra heavy	-	-	-	-	3.00	20.00
Cornus	Sibericus	-	-	-	-	-	1.25	8.00
Elæagnus	longipes	4 to 5 feet	-	-	-	-	3.00	20.00
Hypericum	aureum	—heavy	-	-	-	-	3.00	20.00
Lespedeza	bicolor	-	-	-	-	-	2.00	12.00
"	Sieboldii	small	-	-	-	-	2.00	10.00
Symphoricarpus	glomeratus	—good	-	-	-	-	1.00	6.00
"	"	vgta	-	-	-	-	1.25	8.00
Spiræa	callosa	-	-	-	-	-	1.00	7.00
"	opulifolia	-	-	-	-	-	1.00	7.00
"	"	aurea	-	-	-	-	1.25	8.00
Berberis	Thunbergii	—strong	-	-	-	-	1.25	8.00
"	vulgaris	purpurea	-	-	-	-	1.25	8.00
Rubus	hispidus	-	-	-	-	-	.50	3.00
Myrica	cerifera	-	-	-	-	-	1.25	8.00
Philadelphus	speciosissimus	-	-	-	-	-	2.00	10.00
Rosa	rugosa	—strong and bushy	-	-	-	-	1.25	8.00
"	multiflora	—strong and bushy	-	-	-	-	1.00	7.00
Sambucus	aurea	-	-	-	-	-	1.25	8.00
"	Canadensis	-	-	-	-	-	1.00	7.00

